

# Hard Builder Light Pink LED/UV Gel 50 ml

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830  
Issue date: 2/01/2018 Revision date: 13/09/2021 Version: 1.1

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Name : Hard Builder Light Pink LED/UV Gel 50 ml  
Product code : 24304  
Type of product : Cosmetic product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Professional use  
Use of the substance/mixture : Cosmetics

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

##### Manufacturer

Professionails NV N.V.  
Ruiterschool , 11  
B - 2930  
T +32 (0) 3 669 61 51 - F +32 (0) 3 669 93 27  
[info@pronails.cm](mailto:info@pronails.cm) - [www.pronails.com](http://www.pronails.com)

#### 1.4. Emergency telephone number

No additional information available

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

|   |      |
|---|------|
| Skin corrosion/irritation, Category 2                             | H315 |
| Serious eye damage/eye irritation, Category 2                     | H319 |
| Skin sensitisation, Category 1                                    | H317 |
| Hazardous to the aquatic environment — Chronic Hazard, Category 3 | H412 |

Full text of H and EUH statements: see section 16

##### Adverse physicochemical, human health and environmental effects

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful to aquatic life with long lasting effects.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) :

Warning

Contains :

Aliphatic Urethane Acrylate Resin, Dipentaerythritol Hexacrylate, HYDROXYPROPYL METHACRYLATE

Hazard statements (CLP) :

H315 - Causes skin irritation.  
H317 - May cause an allergic skin reaction.  
H319 - Causes serious eye irritation.  
H412 - Harmful to aquatic life with long lasting effects.

# Hard Builder Light Pink LED/UV Gel 50 ml

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP) : P261 - Avoid breathing vapours.  
P264 - Wash hands thoroughly after handling.  
P280 - Wear eye protection.  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.  
P337+P313 - If eye irritation persists: Get medical advice/attention.  
P362+P364 - Take off contaminated clothing and wash it before reuse.

Labelling according to: exemption for packages of a capacity of 125ml or less

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) : Warning  
Hazardous ingredients : Aliphatic Urethane Acrylate Resin, Dipentaerythritol Hexacrylate, HYDROXYPROPYL METHACRYLATE  
Hazard statements (CLP) : H317 - May cause an allergic skin reaction.  
H412 - Harmful to aquatic life with long lasting effects.  
Precautionary statements (CLP) : P261 - Avoid breathing vapours.  
P280 - Wear eye protection.  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.  
P362+P364 - Take off contaminated clothing and wash it before reuse.

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name                                     | Product identifier   | %       | Classification according to Regulation (EC) No. 1272/2008 [CLP]                    |
|--|--|---------|--|
| ALIPHATIC URETHANE ACRYLATE RESIN        | -  | 50 – 75 | Eye Irrit. 2, H319<br>Skin Sens. 1, H317<br>Aquatic Chronic 3, H412                |
| DI-HEMA TRIMETHYLHEXYL DICARBAMATE       | CAS-No.: 41137-60-4  | 10 – 25 | Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>STOT SE 3, H335                       |
| PPG-5 METHACRYLATE                       | CAS-No.: 39420-45-6<br>EC-No.: 609-674-6                               | 5 – 10  | Not classified   |
| DIPENTAERYTHRITOL HEXACRYLATE            | CAS-No.: 29570-58-9  | 1 – 5   | Eye Irrit. 2, H319<br>Skin Sens. 1, H317<br>Aquatic Chronic 3, H412                |
| HYDROXYCYCLOHEXYL PHENYL KETONE          | CAS-No.: 947-19-3<br>EC-No.: 213-426-9                                 | 0,1 – 1 | Eye Irrit. 2, H319   |
| HYDROXYPROPYL METHACRYLATE               | CAS-No.: 27813-02-1<br>EC-No.: 248-666-3                               | 0,1 – 1 | Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>Skin Sens. 1, H317<br>STOT SE 3, H335 |
| TRIMETHYLBENZOYL DIPHENYLPHOSPHINE OXIDE | CAS-No.: 75980-60-8<br>EC-No.: 278-355-8<br>EC Index-No.: 015-203-00-X | 0,1 – 1 | Repr. 2, H361f   |

# Hard Builder Light Pink LED/UV Gel 50 ml

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Name                  | Product identifier                       | %       | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|-----------------------|--|---------|---|
| METHYL BENZOYLFORMATE | CAS-No.: 15206-55-0<br>EC-No.: 239-263-3 | 0,1 – 1 | Not classified  |
| CI 45410              | CAS-No.: 18472-87-2<br>EC-No.: 242-355-6 | < 0,1   | Not classified  |

Full text of H and EUH statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

|                                       |  |
|---------------------------------------|--|
| First-aid measures after inhalation   | : Remove person to fresh air and keep comfortable for breathing.   |
| First-aid measures after skin contact | : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.   |
| First-aid measures after eye contact  | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| First-aid measures after ingestion    | : Call a poison center or a doctor if you feel unwell.   |

#### 4.2. Most important symptoms and effects, both acute and delayed

|                                     |  |
|-------------------------------------|--|
| Symptoms/effects after skin contact | : Irritation. May cause an allergic skin reaction. |
| Symptoms/effects after eye contact  | : Eye irritation.                                  |

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

|                              |  |
|------------------------------|--|
| Suitable extinguishing media | : Water spray. Dry powder. Foam. Carbon dioxide. |
|------------------------------|--|

#### 5.2. Special hazards arising from the substance or mixture

|  |                                |
|--|--------------------------------|
| Hazardous decomposition products in case of fire | : Toxic fumes may be released. |
|--|--------------------------------|

#### 5.3. Advice for firefighters

|                                |  |
|--------------------------------|--|
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |
|--------------------------------|--|

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

|                      |  |
|----------------------|--|
| Emergency procedures | : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. |
|----------------------|--|

##### 6.1.2. For emergency responders

|                      |   |
|----------------------|---|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
|----------------------|---|

#### 6.2. Environmental precautions

Avoid release to the environment.

# Hard Builder Light Pink LED/UV Gel 50 ml

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.  
Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.  
Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

No additional information available

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

**Appropriate engineering controls:**

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

**Personal protective equipment symbol(s):**



##### 8.2.2.1. Eye and face protection

**Eye protection:**

Safety glasses

# Hard Builder Light Pink LED/UV Gel 50 ml

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Protective gloves

### 8.2.2.3. Respiratory protection

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|   |                        |
|---|------------------------|
| Physical state                                  | : Liquid               |
| Appearance                                      | : Liquid.              |
| Colour  | : light pink.          |
| Odour   | : characteristic.      |
| Odour threshold                                 | : No data available    |
| pH  | : No data available    |
| Relative evaporation rate (butylacetate=1)      | : No data available    |
| Melting point                                   | : Not applicable       |
| Freezing point                                  | : No data available    |
| Boiling point                                   | : No data available    |
| Flash point                                     | : No data available    |
| Auto-ignition temperature                       | : No data available    |
| Decomposition temperature                       | : No data available    |
| Flammability (solid, gas)                       | : Not applicable       |
| Vapour pressure                                 | : No data available    |
| Relative vapour density at 20 °C                | : No data available    |
| Relative density                                | : No data available    |
| Density   | : 1,1 g/m <sup>3</sup> |
| Solubility                                      | : No data available    |
| Partition coefficient n-octanol/water (Log Pow) | : No data available    |
| Viscosity, kinematic                            | : No data available    |
| Viscosity, dynamic                              | : No data available    |
| Explosive properties                            | : No data available    |
| Oxidising properties                            | : No data available    |
| Explosive limits                                | : No data available    |

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

# Hard Builder Light Pink LED/UV Gel 50 ml

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### HYDROXYCYCLOHEXYL PHENYL KETONE (947-19-3)

|                            |  |
|----------------------------|--|
| LD50 oral rat              | > 2500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)   |
| LD50 dermal rat            | > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) |
| LC50 inhalation rat (mg/l) | > 1 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)        |

#### TRIMETHYLBENZOYL DIPHENYLPHOSPHINE OXIDE (75980-60-8)

|                 |   |
|-----------------|---|
| LD50 oral rat   | > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)  |
| LD50 dermal rat | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)), Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity), Guideline: other:Japan MAFF Testing Guideline of 12 Nosan No. 8147 |

#### METHYL BENZOYLFORMATE (15206-55-0)

|               |  |
|---------------|--|
| LD50 oral rat | 6800 – 10000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) |
|---------------|--|

#### CI 45410 (18472-87-2)

|               |            |
|---------------|------------|
| LD50 oral rat | 8400 mg/kg |
|---------------|------------|

Skin corrosion/irritation : Causes skin irritation.  
Serious eye damage/irritation : Causes serious eye irritation.  
Respiratory or skin sensitisation : May cause an allergic skin reaction.  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified  
Reproductive toxicity : Not classified  
STOT-single exposure : Not classified

#### DI-HEMA TRIMETHYLHEXYL DICARBAMATE (41137-60-4)

|                      |                                   |
|----------------------|-----------------------------------|
| STOT-single exposure | May cause respiratory irritation. |
|----------------------|-----------------------------------|

#### HYDROXYPROPYL METHACRYLATE (27813-02-1)

|                      |                                   |
|----------------------|-----------------------------------|
| STOT-single exposure | May cause respiratory irritation. |
|----------------------|-----------------------------------|

STOT-repeated exposure : Not classified

# Hard Builder Light Pink LED/UV Gel 50 ml

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### HYDROXYCYCLOHEXYL PHENYL KETONE (947-19-3)

|                            |   |
|----------------------------|---|
| NOAEL (oral, rat, 90 days) | 300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) |
|----------------------------|---|

Aspiration hazard : Not classified

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.  
Hazardous to the aquatic environment, short-term (acute) : Not classified  
Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.

### HYDROXYCYCLOHEXYL PHENYL KETONE (947-19-3)

|                      |  |
|----------------------|--|
| LC50 - Fish [1]      | 24 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)                     |
| EC50 - Daphnia [1]   | 53,9 mg/l Test organisms (species): Daphnia magna  |
| EC50 72h - Algae [1] | 14,4 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |
| EC50 72h - Algae [2] | 4,68 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |

### TRIMETHYLBENZOYL DIPHENYLPHOSPHINE OXIDE (75980-60-8)

|                      |   |
|----------------------|---|
| EC50 - Daphnia [1]   | 3,53 mg/l Test organisms (species): Daphnia magna   |
| EC50 72h - Algae [1] | > 2,01 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) |

### CI 45410 (18472-87-2)

|                      |                            |
|----------------------|----------------------------|
| LC50 - Fish [1]      | 34,984 mg/l Source: ECOSAR |
| EC50 96h - Algae [1] | 2,878 mg/l Source: ECOSAR  |

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

#### CI 45410 (18472-87-2)

|   |                   |
|---|-------------------|
| Partition coefficient n-octanol/water (Log Pow) | 1,32 Source: ECHA |
|---|-------------------|

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

# Hard Builder Light Pink LED/UV Gel 50 ml

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

### SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

#### 14.1 UN number

UN-No. (ADR) : Not applicable  
UN-No. (IMDG) : Not applicable  
UN-No. (IATA) : Not applicable  
UN-No. (ADN) : Not applicable  
UN-No. (RID) : Not applicable

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable  
Proper Shipping Name (IMDG) : Not applicable  
Proper Shipping Name (IATA) : Not applicable  
Proper Shipping Name (ADN) : Not applicable  
Proper Shipping Name (RID) : Not applicable

#### 14.3. Transport hazard class(es)

**ADR**  
Transport hazard class(es) (ADR) : Not applicable

**IMDG**  
Transport hazard class(es) (IMDG) : Not applicable

**IATA**  
Transport hazard class(es) (IATA) : Not applicable

**ADN**  
Transport hazard class(es) (ADN) : Not applicable

**RID**  
Transport hazard class(es) (RID) : Not applicable

#### 14.4. Packing group

Packing group (ADR) : Not applicable  
Packing group (IMDG) : Not applicable  
Packing group (IATA) : Not applicable  
Packing group (ADN) : Not applicable  
Packing group (RID) : Not applicable

#### 14.5. Environmental hazards

Dangerous for the environment : No  
Marine pollutant : No  
Other information : No supplementary information available

#### 14.6. Special precautions for user

**Overland transport**  
Not applicable

**Transport by sea**  
Not applicable



# Hard Builder Light Pink LED/UV Gel 50 ml

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### Air transport

Not applicable

### Inland waterway transport

Not applicable

### Rail transport

Not applicable

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

### Full text of H- and EUH-statements:

|                   |  |
|-------------------|--|
| Aquatic Chronic 3 | Hazardous to the aquatic environment — Chronic Hazard, Category 3                          |
| Eye Irrit. 2      | Serious eye damage/eye irritation, Category 2  |
| H315              | Causes skin irritation.  |
| H317              | May cause an allergic skin reaction.   |
| H319              | Causes serious eye irritation.   |
| H335              | May cause respiratory irritation.  |
| H361f             | Suspected of damaging fertility.   |
| H412              | Harmful to aquatic life with long lasting effects.   |
| Repr. 2           | Reproductive toxicity, Category 2  |
| Skin Irrit. 2     | Skin corrosion/irritation, Category 2  |
| Skin Sens. 1      | Skin sensitisation, Category 1   |
| STOT SE 3         | Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation |

Safety Data Sheet (SDS), EU

# Hard Builder Light Pink LED/UV Gel 50 ml

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

---

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.